

Technical data sheet

VISIO 70 3S



OPTIONS

| | |
|------------------------------|----------|
| Designframe (non supporting) | |
| Black | ✓ |
| Stainless steel | ✓ |
| Anti-reflective glass | |
| Anti-reflective glass | ✓ |
| Operating | |
| Remote control | Standard |
| attika fire app | Option |
| Home Automation | Option |



Technical data sheet

VISIO 70 3S

200



PRODUCT INFORMATION

| Connections | |
|---|-----------------------|
| Flue pipe Ø (LAS) | 130/200 mm |
| Gas connection | Ø 12 mm 1/2" 3/8" |
| Weight depending on model/equipment | |
| Weight depending on model/equipment | 100 - 140 kg |
| Permissible chimney systems | |
| Schiedel Ontop Metaloterm | ✓ |
| <div style="display: flex; align-items: center;"> Premias </div> <small>125 ms</small> | ✓ |
| <div style="display: flex; align-items: center;"> M&G Group </div> <small>6.4.23</small> | ✓ |
| Poujoulat | ✓ |
| Certifications | |
| Energy efficiency class | A |
| CE | EU 2016/426 |
| SVGW | 19-015-3 |

WEB2PRINT.PRODUKTINFORMATIONENBIOETHANOL

| Certifications | |
|----------------|---|
| SVGW | ✓ |

200



Technical data sheet

VISIO 70 3S

200



SERVICES

| Output range | |
|--|------------------------|
| Natural gas G20/20 mbar | 1.1-7.6 kW |
| Propane gas G31/50 mbar | 1.8-9.1 kW |
| Gas consumption | |
| Natural gas G20/20 mbar | 0.99 m ³ /h |
| Propane gas G31/50 mbar | 0.5 m ³ /h |
| Maximum load | |
| Natural gas G20/20 mbar | 9.5 kW |
| Propane gas G31/50 mbar | 11.3 kW |
| Energy efficiency | |
| Efficiency class Natural gas G20/20 mbar | 1 |
| Efficiency class Propane gas G31/50 mbar | 1 |

INSTALLATION

| Furniture distance from the front glass | |
|--|--------|
| A: Furniture distance from the front glass | 500 mm |
| Furniture distance from the side glass | |
| B: Furniture distance from the side glass | 500 mm |

CONVECTION AIR

| | |
|----------------------|---------------------|
| Convection air above | 200 cm ² |
| Convection air below | 200 cm ² |

All information is provided without guarantee. Sketches are not true to scale.

22.04.2026 | 3 / 4

ATTIKA FEUER AG | Brunnmatt 16 | CH-6330 Cham | Tel. +41 41 784 80 80 | info@attika.ch | www.attika.ch

200



Technical data sheet

VISIO 70 3S



Installation

