

# Technical data sheet

## VIVA 100 L GAS

200



### OPTIONS

| Firebox door        |          |
|---------------------|----------|
| Steel door          | ✓        |
| Glass door          | ✓        |
| Side window         |          |
| Without side window | ✓        |
| Two side windows    | ✓        |
| Coating             |          |
| Black               | ✓        |
| Platinum            | ✓        |
| Mocha               | ✓        |
| Nickel              | ✓        |
| Sand                | ✓        |
| White               | ✓        |
| Top plates          |          |
| Steel 8 mm          | ✓        |
| Steel 28 mm         | ✓        |
| Stainless steel     | ✓        |
| Soapstone           | ✓        |
| Operating           |          |
| Remote control      | Standard |
| attika fire app     | Option   |
| Home Automation     | Option   |



All information is provided without guarantee. Sketches are not true to scale.

20.04.2026 | 1 / 4

ATTIKA FEUER AG | Brunnmatt 16 | CH-6330 Cham | Tel. +41 41 784 80 80 | info@attika.ch | www.attika.ch

200



# Technical data sheet

## VIVA 100 L GAS

200



### PRODUCT INFORMATION

| Connections                         |                       |
|-------------------------------------|-----------------------|
| Flue pipe Ø (LAS)                   | 100/150 mm            |
| Gas connection                      | Ø 12 mm   1/2"   3/8" |
| Flue pipe outlet                    |                       |
| Top                                 | ✓                     |
| Rear                                | ✓                     |
| Weight depending on model/equipment |                       |
| Weight depending on model/equipment | 90 - 130 kg           |
| Permissible chimney systems         |                       |
| Schiedel Ontop Metaloterm           | ✓                     |
| Jeremias                            | ✓                     |
| M&G Group                           | ✓                     |
| Poujoulat                           | ✓                     |
| Certifications                      |                       |
| Energy efficiency class             | A                     |
| CE                                  | EU 2016/426           |
| SVGW                                | 18-035-3              |

### WEB2PRINT.PRODUKTINFORMATIONENBIOETHANOL

| Certifications |   |
|----------------|---|
| SVGW           | ✓ |

All information is provided without guarantee. Sketches are not true to scale.

20.04.2026 | 2 / 4

ATTIKA FEUER AG | Brunnmatt 16 | CH-6330 Cham | Tel. +41 41 784 80 80 | info@attika.ch | www.attika.ch

200



# Technical data sheet

## VIVA 100 L GAS

200



### SERVICES

| Output range                               |                        |
|--|------------------------|
| Natural gas   G20/20 mbar                  | 1.2-6.4 kW             |
| Propane gas   G31/50 mbar                  | 1.3-5.8 kW             |
| Gas consumption                            |                        |
| Natural gas   G20/20 mbar                  | 0.84 m <sup>3</sup> /h |
| Propane gas   G31/50 mbar                  | 0.29 m <sup>3</sup> /h |
| Maximum load                               |                        |
| Natural gas   G20/20 mbar                  | 9.1 kW                 |
| Propane gas   G31/50 mbar                  | 8 kW                   |
| Energy efficiency                          |                        |
| Efficiency class Natural gas   G20/20 mbar | 2                      |
| Efficiency class Propane gas   G31/50 mbar | 2                      |

### INSTALLATION

| Distances to combustible materials (without side window) |         |
|--|---------|
| A: to the back   | 50 mm   |
| B: to the side wall                                      | 250 mm  |
| C: to the front  | 700 mm  |
| D: upwards   | 1000 mm |
| Distances to combustible materials (with side window)    |         |
| A: to the back   | 50 mm   |
| B: to the side wall                                      | 300 mm  |
| C: to the front  | 700 mm  |
| D: upwards   | 1000 mm |

All information is provided without guarantee. Sketches are not true to scale.

20.04.2026 | 3 / 4

ATTIKA FEUER AG | Brunnmatt 16 | CH-6330 Cham | Tel. +41 41 784 80 80 | info@attika.ch | www.attika.ch

200







# Technical data sheet

## VIVA 100 L GAS

200



### Sketches of safety distances



All information is provided without guarantee. Sketches are not true to scale.

20.04.2026 | 4 / 4

ATTIKA FEUER AG | Brunnmatt 16 | CH-6330 Cham | Tel. +41 41 784 80 80 | info@attika.ch | www.attika.ch

200

